Author's Accepted Manuscript

Increased resistance to hydrogen embrittlement in high-strength steels composed of granular bainite

Da Hye Shim, Taekyung Lee, Junmo Lee, Hyong Jik Lee, Jang-Yong Yoo, Chong Soo Lee



www.elsevier.com/locate/msea

PII: S0921-5093(17)30807-9

DOI: http://dx.doi.org/10.1016/j.msea.2017.06.043

Reference: MSA35181

To appear in: Materials Science & Engineering A

Received date: 17 January 2017 Revised date: 9 June 2017 Accepted date: 10 June 2017

Cite this article as: Da Hye Shim, Taekyung Lee, Junmo Lee, Hyong Jik Lee Jang-Yong Yoo and Chong Soo Lee, Increased resistance to hydroger embrittlement in high-strength steels composed of granular bainite, *Material Science & Engineering A*, http://dx.doi.org/10.1016/j.msea.2017.06.043

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

Increased resistance to hydrogen embrittlement in high-strength steels composed of granular bainite

Da Hye Shim¹, Taekyung Lee^{2,*}, Junmo Lee³, Hyong Jik Lee³, Jang-Yong Yoo³, Chong Soo Lee^{1,*}

¹Graduate Institute of Ferrous Technology (GIFT), Pohang University of Science and Technology (POSTECH), Pohang 37673, Republic of Korea

²Magnesium Research Center, Kumamoto University, Kumamoto 860-8555, Japan

³Steel Products Research Group 1, POSCO, Pohang 37859, Republic of Korea

t-lee@mech.kumamoto-u.ac.jp

cslee@postech.ac.kr

* Corresponding author: Dr. T. Lee, Tel. +81-96-342-3576,

* Corresponding author: Dr. C.S. Lee, Tel. +82-54-279-9001, Fax +82-54-279-9099,

Abstract

This paper presents two high-strength steels composed of granular bainite microstructure that have higher extrinsic resistance to hydrogen embrittlement (HE) than conventional tempered-martensite steel, because the granular bainite steel traps less hydrogen

Download English Version:

https://daneshyari.com/en/article/5455468

Download Persian Version:

https://daneshyari.com/article/5455468

<u>Daneshyari.com</u>