

Facile coating of conductive poly(vinylidene fluoride-trifluoroethylene) copolymer on $\text{Li}_{1.2}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}\text{O}_2$ as a high electrochemical performance cathode for Li-ion battery

Ji-Zhou Kong,^{a,b,c} Li-Peng Xu,^{a,b} Chun-Lei Wang,^{a,b} You-Xuan Jiang,^{a,b} Yan-Qiang


Cao,^c Fei Zhou^{a,b*}

^a State Key Laboratory of Mechanics and Control of Mechanical Structures, Nanjing University of Aeronautics and Astronautics, No. 29 Yudao Street, Nanjing 210016, China

^b College of Mechanical and Electrical Engineering, Nanjing University of Aeronautics and Astronautics, and Jiangsu Precision and Micro-Manufacturing Technology Laboratory, Nanjing 210016, China

^c National Laboratory of Solid State Microstructures, Materials Science and Engineering Department, Nanjing University, Nanjing 210093, China

Graphical Abstract



Download English Version:

<https://daneshyari.com/en/article/5458964>

Download Persian Version:

<https://daneshyari.com/article/5458964>

[Daneshyari.com](https://daneshyari.com)