

Accepted Manuscript

Improved electrochemical performances derived from synergistic titanium dioxide and iron titanate porous nanohybrids serving as lithium-ion battery anodes

Shenyu Wang, Nannan Wu, Yuzhen Liu, Wei Liu, Jiurong Liu



PII: S0925-8388(17)31467-6

DOI: [10.1016/j.jallcom.2017.04.257](https://doi.org/10.1016/j.jallcom.2017.04.257)

Reference: JALCOM 41661

To appear in: *Journal of Alloys and Compounds*


Received Date: 18 January 2017

Revised Date: 23 April 2017

Accepted Date: 24 April 2017

Please cite this article as: S. Wang, N. Wu, Y. Liu, W. Liu, J. Liu, Improved electrochemical performances derived from synergistic titanium dioxide and iron titanate porous nanohybrids serving as lithium-ion battery anodes, *Journal of Alloys and Compounds* (2017), doi: 10.1016/j.jallcom.2017.04.257.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Porous nanocomposites of TiO₂ with Fe₂TiO₅ synthesized by a facile approach exhibits superior cycling and rate performances as LIBs anode due to the porous structure and the synergistic effect of TiO₂ with Fe₂TiO₅.

Download English Version:

<https://daneshyari.com/en/article/5459136>

Download Persian Version:

<https://daneshyari.com/article/5459136>

[Daneshyari.com](https://daneshyari.com)