

# Accepted Manuscript

Effect of CO<sub>2</sub> on hydrogen absorption in Ti-Zr-Mn-Cr based AB<sub>2</sub> type alloys

Nobuko Hanada, Hirotaka Asada, Tessui Nakagawa, Hiroki Higa, Masayoshi Ishida, Daichi Heshiki, Tomohiro Toki, Itoko Saita, Kohta Asano, Yumiko Nakamura, Akitoshi Fujisawa, Shinichi Miura

PII: S0925-8388(17)30483-8

DOI: [10.1016/j.jallcom.2017.02.067](https://doi.org/10.1016/j.jallcom.2017.02.067)

Reference: JALCOM 40795

To appear in: *Journal of Alloys and Compounds*

Received Date: 21 October 2016


Revised Date: 4 February 2017

Accepted Date: 7 February 2017

Please cite this article as: N. Hanada, H. Asada, T. Nakagawa, H. Higa, M. Ishida, D. Heshiki, T. Toki, I. Saita, K. Asano, Y. Nakamura, A. Fujisawa, S. Miura, Effect of CO<sub>2</sub> on hydrogen absorption in Ti-Zr-Mn-Cr based AB<sub>2</sub> type alloys, *Journal of Alloys and Compounds* (2017), doi: 10.1016/j.jallcom.2017.02.067.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/5459828>

Download Persian Version:

<https://daneshyari.com/article/5459828>

[Daneshyari.com](https://daneshyari.com)