

Accepted Manuscript

Comparative tribological study of plasma sprayed alumina and alumina-yttria under severe conditions

Jian Rong, Kai Yang, Yin Zhuang, Huayu Zhao, Chenguang Liu, Shunyan Tao, Chuanxian Ding

PII: S0257-8972(16)31197-5
DOI: doi: [10.1016/j.surfcoat.2016.11.065](https://doi.org/10.1016/j.surfcoat.2016.11.065)
Reference: SCT 21811

To appear in: *Surface & Coatings Technology*

Received date: 22 August 2016
Revised date: 15 November 2016
Accepted date: 16 November 2016



Please cite this article as: Jian Rong, Kai Yang, Yin Zhuang, Huayu Zhao, Chenguang Liu, Shunyan Tao, Chuanxian Ding, Comparative tribological study of plasma sprayed alumina and alumina-yttria under severe conditions, *Surface & Coatings Technology* (2016), doi: [10.1016/j.surfcoat.2016.11.065](https://doi.org/10.1016/j.surfcoat.2016.11.065)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparative tribological study of plasma sprayed alumina and alumina-yttria under severe conditions

Jian Rong^{a,b}, Kai Yang^{a,*}, Yin Zhuang^a, Huayu Zhao^a, Chenguang Liu^a, Shunyan Tao^a,
Chuanxian Ding^a

^a *Key Laboratory of Inorganic Coating Materials CAS, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, PR China*

^b *University of Chinese Academy of Sciences, Beijing 100039, PR China*

*Corresponding author: Tel.: +86 21 69906320; Fax: +86 21 69906322.

E-mail address: kaiyang@mail.sic.ac.cn (K. Yang);

Download English Version:

<https://daneshyari.com/en/article/5464716>

Download Persian Version:

<https://daneshyari.com/article/5464716>

[Daneshyari.com](https://daneshyari.com)