Accepted Manuscript

Degradation of gaseous nitriding of steel by lubricant contamination — Effect of in-situ pre-treatments

B. Guillot, S. Jégou, L. Barrallier

PII: S0257-8972(17)30127-5

DOI: doi: 10.1016/j.surfcoat.2017.01.107

Reference: SCT 22083

To appear in: Surface & Coatings Technology

Received date: 16 November 2016 Revised date: 29 January 2017 Accepted date: 30 January 2017



Please cite this article as: B. Guillot, S. Jégou, L. Barrallier, Degradation of gaseous nitriding of steel by lubricant contamination — Effect of in-situ pre-treatments. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Sct(2017), doi: 10.1016/j.surfcoat.2017.01.107

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Degradation of gaseous nitriding of steel by lubricant contamination - Effect of in-situ pre-treatments

B. Guillot, S. Jégou, L. Barrallier

- Benjamin GUILLOT,
 benjamin.guillot42@hotmail.fr
 +336 88 92 65 01
- Sébastien JEGOU, Lecturer, sebastien.jegou@ensam.eu
 +337 84 55 09 84
- Laurent BARRALLIER, Professor of University, Director of the MSMP Lab laurent.barrallier@ensam.eu +336 35 35 46 26
- Address of the laboratory (Permanent address, for all authors):
 2, cours des Arts et Métiers,
 13 617 Aix-en-Provence
 FRANCE

Key-words:

- Gaseous nitriding
- Steel
- Catalytic deactivation
- In-situ treatment
- Pre-oxidation
- Ammonium Chloride

Download English Version:

https://daneshyari.com/en/article/5464722

Download Persian Version:

https://daneshyari.com/article/5464722

<u>Daneshyari.com</u>