## Accepted Manuscript

Effect of scandium content on structure and piezoelectric properties of AlScN films deposited by reactive pulse magnetron sputtering

Olaf Zywitzki, Thomas Modes, Stephan Barth, Hagen Bartzsch, Peter Frach

 PII:
 S0257-8972(16)31212-9

 DOI:
 doi:10.1016/j.surfcoat.2016.11.083

 Reference:
 SCT 21829

To appear in: Surface & Coatings Technology

Received date:17 August 2016Revised date:20 October 2016Accepted date:22 November 2016



Please cite this article as: Olaf Zywitzki, Thomas Modes, Stephan Barth, Hagen Bartzsch, Peter Frach, Effect of scandium content on structure and piezoelectric properties of AlScN films deposited by reactive pulse magnetron sputtering, *Surface & Coatings Technology* (2016), doi:10.1016/j.surfcoat.2016.11.083

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

## Effect of scandium content on structure and piezoelectric properties of AlScN films deposited by reactive pulse magnetron sputtering

Olaf Zywitzki<sup>a)</sup>, Thomas Modes, Stephan Barth, Hagen Bartzsch, Peter Frach

Fraunhofer Institute for Organic Electronics, Electron Beam and Plasma Technology (FEP)

Winterbergstrasse 28, 01277 Dresden, Germany

Corresponding author:

<sup>a)</sup> Email: olaf.zywitzki@fep.fraunhofer.de. Telephone: +49 351 2586 180. Fax: +49 351 2586 55 180.

A CCC AN

Download English Version:

## https://daneshyari.com/en/article/5465278

Download Persian Version:

https://daneshyari.com/article/5465278

Daneshyari.com