

Accepted Manuscript

Optical methods to quantify amorphous carbon in carbide-based nanocomposite coatings

K. Nygren, M. Samuelsson, H. Arwin, U. Jansson

PII: S0040-6090(17)30545-X
DOI: doi: [10.1016/j.tsf.2017.07.053](https://doi.org/10.1016/j.tsf.2017.07.053)
Reference: TSF 36119
To appear in: *Thin Solid Films*
Received date: 20 September 2016
Revised date: 16 July 2017
Accepted date: 19 July 2017



Please cite this article as: K. Nygren, M. Samuelsson, H. Arwin, U. Jansson , Optical methods to quantify amorphous carbon in carbide-based nanocomposite coatings, *Thin Solid Films* (2017), doi: [10.1016/j.tsf.2017.07.053](https://doi.org/10.1016/j.tsf.2017.07.053)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Optical methods to quantify amorphous carbon in carbide-based nanocomposite coatings

K. Nygren ^{a,b,*}, M. Samuelsson ^{b+,c}, H. Arwin ^{b+,c}, U. Jansson ^a

^a*Department of Chemistry – Ångström Laboratory, Uppsala University, Box 538, SE-751 21 Uppsala, Sweden*

^b*Impact Coatings AB, Westmansgatan 29, SE-582 16, Linköping, Sweden*

^c*Linköping University, Department of Physics, Chemistry and Biology (IFM), SE-581 83 Linköping, Sweden*

* *Corresponding author: kristian.nygren@impactcoatings.se / kristian.nygren@kemi.uu.se*

⁺ *At the time of the study*

Download English Version:

<https://daneshyari.com/en/article/5465866>

Download Persian Version:

<https://daneshyari.com/article/5465866>

[Daneshyari.com](https://daneshyari.com)