## Accepted Manuscript

Overcoming the drawbacks of plastic strain estimation based on KAM

Rickard R. Shen, Pål Efsing

 PII:
 S0304-3991(17)30231-0

 DOI:
 10.1016/j.ultramic.2017.08.013

 Reference:
 ULTRAM 12444

To appear in: *Ultramicroscopy* 

Received date:12 May 2017Revised date:14 August 2017Accepted date:20 August 2017



Please cite this article as: Rickard R. Shen, Pål Efsing, Overcoming the drawbacks of plastic strain estimation based on KAM, *Ultramicroscopy* (2017), doi: 10.1016/j.ultramic.2017.08.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Effects of EBSD step length and grain size on KAM are simple to compensate for.
- The effect of measurement error on KAM can be drastically reduced using a filter.
- GOS is overall superior to KAM for plastic strain assessments.
- Plastic strains of weld-deformed Alloy 690 measured in three component mockups.

Download English Version:

## https://daneshyari.com/en/article/5466631

Download Persian Version:

https://daneshyari.com/article/5466631

Daneshyari.com