


Accepted Manuscript

Accelerate pack boriding with reused boriding media by simultaneously employing AI and alternating current field

Fei Xie, Xiao-juan Wang, Jian-wei Pan



PII: S0042-207X(17)30162-8

DOI: [10.1016/j.vacuum.2017.04.011](https://doi.org/10.1016/j.vacuum.2017.04.011)

Reference: VAC 7371

To appear in: *Vacuum*

Received Date: 11 February 2017

Revised Date: 4 April 2017

Accepted Date: 5 April 2017

Please cite this article as: Xie F, Wang X-j, Pan J-w, Accelerate pack boriding with reused boriding media by simultaneously employing AI and alternating current field, *Vacuum* (2017), doi: 10.1016/j.vacuum.2017.04.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Accelerate pack boriding with reused boriding media by simultaneously employing AI and alternating current field

Fei Xie^{*, a, b}, Xiao-juan Wang^a, Jian-wei Pan^c

^a Materials Science and Engineering School, Changzhou University, Changzhou 213164, China

^b Key Laboratory of Materials Surface Technology of Jiangsu Province, Changzhou University, Changzhou 213164, China

^c Huaide College, Changzhou University, Changzhou 213016, China

*** Corresponding author**

E-mail address: xiefei@cczu.edu.cn (Fei Xie); 15895088962@163.com (Xiao-juan Wang); 6893@cczu.edu.cn (Jian-wei Pan)

Download English Version:

<https://daneshyari.com/en/article/5468154>

Download Persian Version:

<https://daneshyari.com/article/5468154>

[Daneshyari.com](https://daneshyari.com)