

Accepted Manuscript

The mathematical model of the conversion of a landfill operation from anaerobic to aerobic

Hecham Omar , Sohrab Rohani

PII: S0307-904X(17)30337-2
DOI: [10.1016/j.apm.2017.05.020](https://doi.org/10.1016/j.apm.2017.05.020)
Reference: APM 11772



To appear in: *Applied Mathematical Modelling*

Received date: 25 January 2016
Revised date: 8 March 2017
Accepted date: 11 May 2017

Please cite this article as: Hecham Omar , Sohrab Rohani , The mathematical model of the conversion of a landfill operation from anaerobic to aerobic, *Applied Mathematical Modelling* (2017), doi: [10.1016/j.apm.2017.05.020](https://doi.org/10.1016/j.apm.2017.05.020)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A model representing conversion of anaerobic to aerobic landfill is represented
- Temperature is dominant factor controlling aerobic bacteria growth
- Varying leachate flow more effective than varying air flow in temperature control
- At high aerobic biomass concentrations, large heat production, high temperature

Download English Version:

<https://daneshyari.com/en/article/5470675>

Download Persian Version:

<https://daneshyari.com/article/5470675>

[Daneshyari.com](https://daneshyari.com)