

Accepted Manuscript

Modeling and simulation of phenol removal from wastewater using a membrane contactor as a bioreactor

Seyed Mostafa Nowee , Mostafa Taherian , Mohsen Salimi ,
Seyed Mahmoud Mousavi

PII: S0307-904X(16)30542-X
DOI: [10.1016/j.apm.2016.10.027](https://doi.org/10.1016/j.apm.2016.10.027)
Reference: APM 11388

To appear in: *Applied Mathematical Modelling*

Received date: 10 January 2016
Revised date: 31 August 2016
Accepted date: 11 October 2016

Please cite this article as: Seyed Mostafa Nowee , Mostafa Taherian , Mohsen Salimi , Seyed Mahmoud Mousavi , Modeling and simulation of phenol removal from wastewater using a membrane contactor as a bioreactor, *Applied Mathematical Modelling* (2016), doi: [10.1016/j.apm.2016.10.027](https://doi.org/10.1016/j.apm.2016.10.027)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- A membrane contactor as bioreactor was modelled and simulated.
- A set of partial differential equations were solved via simulation with CFD techniques.
- The membrane bioreactor was introduced for phenol removal from wastewater.
- The effects of various operational parameters on phenol removal efficiency were studied.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5470880>

Download Persian Version:

<https://daneshyari.com/article/5470880>

[Daneshyari.com](https://daneshyari.com)