


Accepted Manuscript

Level set evolution model for image segmentation based on variable exponent p-Laplace equation

Chencheng Huang, Li Zeng

PII: S0307-904X(16)30187-1
DOI: [10.1016/j.apm.2016.03.039](https://doi.org/10.1016/j.apm.2016.03.039)
Reference: APM 11107



To appear in: *Applied Mathematical Modelling*

Received date: 10 January 2014
Revised date: 29 October 2015
Accepted date: 24 March 2016

Please cite this article as: Chencheng Huang, Li Zeng, Level set evolution model for image segmentation based on variable exponent p-Laplace equation, *Applied Mathematical Modelling* (2016), doi: [10.1016/j.apm.2016.03.039](https://doi.org/10.1016/j.apm.2016.03.039)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A variable exponent p-Laplace term active contour model was proposed.
- The local robust statistic information is used to compute the exponent.
- The region information was consider in the active contour model.

Download English Version:

<https://daneshyari.com/en/article/5471319>

Download Persian Version:

<https://daneshyari.com/article/5471319>

[Daneshyari.com](https://daneshyari.com)