

## Accepted Manuscript

Thermoelastic instability of functionally graded coating with arbitrarily varying properties considering contact resistance and frictional heat

Jia-Jia Mao , Liao-Liang Ke , Jie Yang , Sritawat Kitipornchai ,  
Yue-Sheng Wang

PII: S0307-904X(16)30618-7  
DOI: [10.1016/j.apm.2016.11.013](https://doi.org/10.1016/j.apm.2016.11.013)  
Reference: APM 11439

To appear in: *Applied Mathematical Modelling*

Received date: 7 June 2016  
Revised date: 5 October 2016  
Accepted date: 10 November 2016

Please cite this article as: Jia-Jia Mao , Liao-Liang Ke , Jie Yang , Sritawat Kitipornchai , Yue-Sheng Wang , Thermoelastic instability of functionally graded coating with arbitrarily varying properties considering contact resistance and frictional heat, *Applied Mathematical Modelling* (2016), doi: [10.1016/j.apm.2016.11.013](https://doi.org/10.1016/j.apm.2016.11.013)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Highlights**

- Stability boundaries grow with the increasing gradient index of the FGM coating.
- Stability boundaries grow with the decreasing thermal contact resistance and friction coefficient.
- An appropriate gradient type of the FGM coating can adjust the TEI of sliding systems.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5471430>

Download Persian Version:

<https://daneshyari.com/article/5471430>

[Daneshyari.com](https://daneshyari.com)