


Accepted Manuscript

Understanding epidemics from mathematical models: Details of the 2010 dengue epidemic in Bello (Antioquia, Colombia)

Diana Paola Lizarralde, Sair Arboleda, María Eugenia Puerta

PII: S0307-904X(16)30627-8
DOI: [10.1016/j.apm.2016.11.022](https://doi.org/10.1016/j.apm.2016.11.022)
Reference: APM 11448



To appear in: *Applied Mathematical Modelling*

Received date: 25 September 2015
Revised date: 21 October 2016
Accepted date: 10 November 2016

Please cite this article as: Diana Paola Lizarralde, Sair Arboleda, María Eugenia Puerta, Understanding epidemics from mathematical models: Details of the 2010 dengue epidemic in Bello (Antioquia, Colombia), *Applied Mathematical Modelling* (2016), doi: [10.1016/j.apm.2016.11.022](https://doi.org/10.1016/j.apm.2016.11.022)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Mathematical model for dengue epidemic in Bello was fitted to the real data.
- Entomological parameters were obtained from experimental laboratory assays.
- The initial conditions are relevant to fit a mathematical model for dengue.
- The R_0 for dengue epidemic in 2010 occurred in Bello ranged between 1.5 and 2.7.
- Transmission probabilities m and h have inverse relationship.

Download English Version:

<https://daneshyari.com/en/article/5471433>

Download Persian Version:

<https://daneshyari.com/article/5471433>

[Daneshyari.com](https://daneshyari.com)