Author's Accepted Manuscript

Space-based Pseudo-fixed Latitude Observation Mode Based on the Characteristics of Geosynchronous Orbit Belt

Yun-peng Hu, Lei Chen, Jian-yu Huang



 PII:
 S0094-5765(16)31112-2

 DOI:
 http://dx.doi.org/10.1016/j.actaastro.2017.03.031

 Reference:
 AA6257

To appear in: Acta Astronautica

Received date: 26 October 2016 Accepted date: 29 March 2017

Cite this article as: Yun-peng Hu, Lei Chen and Jian-yu Huang, Space-basec Pseudo-fixed Latitude Observation Mode Based on the Characteristics o Geosynchronous Orbit Belt, *Acta Astronautica* http://dx.doi.org/10.1016/j.actaastro.2017.03.031

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIPT

67th International Astronautical Congress (IAC), Guadalajara, Mexico, 26-30 September 2016. Copyright ©2016 by the International Astronautical Federation (IAF). All rights reserved.

Space-based Pseudo-fixed Latitude Observation Mode Based on the Characteristics of Geosynchronous Orbit Belt

Yun-peng Hu^a, Lei Chen^b*, Jian-yu Huang^c

^aCollege of Aerospace Science and Engineering, National University of Defense Technology, 109 Deya Road, Kaifu District, Hunan Province, China 410072
 ^bCollege of Aerospace Science and Engineering, National University of Defense Technology, 109 Deya Road, Kaifu District, Hunan Province, China 410072
 ^cBeijing Institute of Tracking and Telecommunication Technology, 26 Beiqing Road, Haidian District, Beijing, China 100094
 huyunpengnudt@163.com
 chenl@nudt.edu.cn
 jianyu2875@126.com
 ^{*}Corresponding author.

Abstract

The US Lincoln Laboratory proved that space-based visible (SBV) observation is efficient to observe space objects, especially Geosynchronous Orbit (GEO) objects. After that, SBV observation plays an important role in the space surveillance. In this paper, a novel space-based observation mode is designed to observe all the GEO objects in a relatively short time. A low earth orbit (LEO) satellite, especially a dawn-dusk sun-synchronous orbit satellite, is useful for space-based observation. Thus, the observation mode for GEO objects is based on a dawn-dusk sun-synchronous orbit satellite.

It is found that the Pinch Point (PP) regions proposed by the US Lincoln Laboratory are spreading based on the analysis of the evolution principles of GEO objects. As the PP regions becoming more and more widely in the future, many strategies based on it may not be efficient any more. Hence, the key point of the space-based observation strategy design for GEO objects should be emphasized on the whole GEO belt as far as possible.

The pseudo-fixed latitude observation mode is proposed in this paper based on the characteristics of GEO belt. Unlike classical space-based observation modes, pseudo-fixed latitude observation mode makes use of the onedimensional attitude adjustment of the observation satellite. The pseudo-fixed latitude observation mode is more reliable and simple in engineering, compared with the gazing observation mode which needs to adjust the attitude from the two dimensions. It includes two types of attitude adjustment, i.e. daily and continuous attitude adjustment. Therefore, the pseudo-fixed latitude observation mode has two characteristics. In a day, the latitude of the observation region is fixed and the scanning region is about a rectangle, while the latitude of the observation region centre changes each day in a long term based on a daily strategy.

The capabilities of a pseudo-fixed latitude observation instrument with a 98° dawn-dusk sun-synchronous orbit are discussed. It is found that most of GEO objects can be visited every day and almost all the GEO objects can be visited in two days in the whole year using a sensor with $20^{\circ}\times2^{\circ}$ field of view (FOV). The seasonal drops, which are caused by the characteristics of GEO belt and the influence of earth shadow at the two equinoxes, have been overcome under the pseudo-fixed observation mode.

Keywords: Space-based observation; GEO objects; pseudo-fixed latitude observation mode

Acronyms

SBV – Space-Based Visible GEO – Geosynchronous Earth Orbit PP – Pinch Point FOV – Field of View Download English Version:

https://daneshyari.com/en/article/5472417

Download Persian Version:

https://daneshyari.com/article/5472417

Daneshyari.com