Accepted Manuscript

Modeling and experimental study on combination of foam and variable density multilayer insulation for cryogen storage

Y.H. Huang, B. Wang, S.H. Zhou, J.Y. Wu, G. Lei, P. Li, P.J. Sun

PII: S0360-5442(17)30152-4

DOI: 10.1016/j.energy.2017.01.147

Reference: EGY 10282

To appear in: Energy

Received Date: 25 November 2016

Revised Date: 03 January 2017

Accepted Date: 29 January 2017

Please cite this article as: Y.H. Huang, B. Wang, S.H. Zhou, J.Y. Wu, G. Lei, P. Li, P.J. Sun, Modeling and experimental study on combination of foam and variable density multilayer insulation for cryogen storage, *Energy* (2017), doi: 10.1016/j.energy.2017.01.147

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

- 1. A generalized layer by layer method for predicting the thermal performance of FMLI has been proposed.
- 2. The temperature profile and mean heat flux of FMLI samples were measured at different vacuum level.
- 3. The model validity was experimentally verified and FMLI outperforms in all pressure range investigated.

Download English Version:

https://daneshyari.com/en/article/5476116

Download Persian Version:

https://daneshyari.com/article/5476116

<u>Daneshyari.com</u>