

# Accepted Manuscript

Carbon dioxide capture using a superhydrophobic ceramic hollow fibre membrane for gas-liquid contacting process

Mohammed Abdulmunem Abdulhameed, Mohd Hafiz Dzarfan Othman, Ahmad Fauzi Ismail, Takeshi Matsuura, Zawati Harun, Mukhlis A. Rahman, Mohd Hafiz Puteh, Juhana Jaafar, Masoud Rezaei, Siti Khadijah Hubadillah

PII: S0959-6526(16)30903-9

DOI: [10.1016/j.jclepro.2016.07.015](https://doi.org/10.1016/j.jclepro.2016.07.015)

Reference: JCLP 7587

To appear in: *Journal of Cleaner Production*


Received Date: 10 January 2016


Revised Date: 3 July 2016

Accepted Date: 3 July 2016


Please cite this article as: Abdulhameed MA, Othman MHD, Ismail AF, Matsuura T, Harun Z, Rahman MA, Puteh MH, Jaafar J, Rezaei M, Hubadillah SK, Carbon dioxide capture using a superhydrophobic ceramic hollow fibre membrane for gas-liquid contacting process, *Journal of Cleaner Production* (2016), doi: 10.1016/j.jclepro.2016.07.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.






*Affordable kaolin-alumina hollow fiber membrane contactor*



*Superhydrophobicity of membrane*



*Excellent CO<sub>2</sub> absorption performance*

Download English Version:

<https://daneshyari.com/en/article/5481429>

Download Persian Version:

<https://daneshyari.com/article/5481429>

[Daneshyari.com](https://daneshyari.com)