Accepted Manuscript

Effect of pressurization on helical guided wave energy velocity in fluid-filled pipes

Brennan Dubuc, Arvin Ebrahimkhanlou, Salvatore Salamone

PII: S0041-624X(16)30314-6

DOI: http://dx.doi.org/10.1016/j.ultras.2016.11.013

Reference: ULTRAS 5416

To appear in: *Ultrasonics*

Received Date: 23 August 2016 Revised Date: 31 October 2016 Accepted Date: 20 November 2016



Please cite this article as: B. Dubuc, A. Ebrahimkhanlou, S. Salamone, Effect of pressurization on helical guided wave energy velocity in fluid-filled pipes, *Ultrasonics* (2016), doi: http://dx.doi.org/10.1016/j.ultras.2016.11.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Effect of pressurization on helical guided wave energy velocity in fluid-filled pipes

Brennan Dubuc^{a,b}, Arvin Ebrahimkhanlou^{a,c}, Salvatore Salamone^{a,d}

- ^a Smart Structures Research Laboratory (SSRL) Dept. of Civil, Architectural and Environmental Engineering, University of Texas at Austin 10100 Burnet Rd., Bldg. 24 Austin, TX USA 78758
- bdubuc@utexas.edu
- arvinebr@utexas.edu
- salamone@utexas.edu (corresponding author)

Download English Version:

https://daneshyari.com/en/article/5485495

Download Persian Version:

https://daneshyari.com/article/5485495

<u>Daneshyari.com</u>