## Accepted Manuscript

Ionospheric electron density perturbations during the 7-10 March 2012 geomagnetic storm period

Anna Belehaki, Ivan Kutiev, Pencho Marinov, Ioanna Tsagouri, Kostas Koutroumbas, Panagiotis Elias


PII: S0273-1177(16)30674-3

DOI: http://dx.doi.org/10.1016/j.asr.2016.11.031

Reference: JASR 12988

To appear in: Advances in Space Research

Received Date: 11 August 2016
Revised Date: 20 November 2016
Accepted Date: 22 November 2016



Please cite this article as: Belehaki, A., Kutiev, I., Marinov, P., Tsagouri, I., Koutroumbas, K., Elias, P., Ionospheric electron density perturbations during the 7-10 March 2012 geomagnetic storm period, *Advances in Space Research* (2016), doi: http://dx.doi.org/10.1016/j.asr.2016.11.031

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

### **ACCEPTED MANUSCRIPT**

# Ionospheric electron density perturbations during the 7-10 March 2012 geomagnetic storm period

Anna Belehaki (1), Ivan Kutiev (2,1), Pencho Marinov (3), Ioanna Tsagouri (1), Kostas Koutroumbas (1) and Panagiotis Elias (1)

- (1) Institute of Astronomy, Astrophysics, Space Applications and Remote Sensing, National Observatory of Athens, Athens, Greece
- (2) Bulgarian Academy of Sciences, Sofia, Bulgaria
- (3) Institute of Information and Communication Technologies, Bulgarian Academy of Sciences, Sofia, Bulgaria

Corresponding author
Dr Anna Belehaki
Institute of Astronomy, Astrophysics, Space Applications and Remote Sensing National Observatory of Athens,
Metaxa and Vas. Pavlou
Palaia Penteli 15236, Greece
Email: belehaki@noa.gr

Tel. 0030 210 8109192 FAX. 0030 210 6138343

#### **Abstract**

From 7 to 10 March 2012 a series of magnetospheric disturbances caused perturbations in the ionospheric electron density. Analyzing the interplanetary causes in each phase of this disturbed period, in comparison with the total electron content (TEC) disturbances, we have concluded that the interplanetary solar wind controls largely the ionospheric response. An interplanetary shock detected at 0328 UT on 7 March caused the formation of prompt penetrating electric fields in the dayside that transported plasma from the near-equatorial region to higher in attitudes and latitudes forming a giant plasma fountain which is part of the so-called dayside ionospheric super-fountain. The super-fountain produces an increase in TEC which is the dominant effect at middle latitude, masking the effect of the negative storm. Simultaneously, inspecting the TEC maps, we found evidence for a turbulence in TEC propagating southward probably caused by large scale travelling ionospheric disturbances (LSTIDs) linked to auroral electrojet intensification. On 8 March, a magnetospheric sudden impulse at 1130 UT accompanied with strong pulsations in all interplanetary magnetic field (IMF) components and with northward Bz component during the growth phase of the storm. These conditions triggered a pronounced directly driven substorm phase during which we observe LSTID. However, the analysis of DMSP satellite observations, provided with strong evidence for Sub-Auroral Polarization Streams (SAPS) formation that erode travelling ionospheric disturbances (TID) signatures. The overall result of these mechanisms can be detected in maps of de-trended TEC, but it is difficult to identify separately each of the sources of the observed perturbations, i.e. auroral electrojet activity and LSTIDs, super-fountain and SAPS.

#### Download English Version:

# https://daneshyari.com/en/article/5486287

Download Persian Version:

https://daneshyari.com/article/5486287

**Daneshyari.com**