## **Accepted Manuscript**

Initial Inflight Calibration for Hayabusa2 Optical Navigation Camera (ONC) for Science Observations of Asteroid Ryugu

H. Suzuki , M. Yamada , T. Kouyama , E. Tatsumi , S. Kameda ,

R. Honda, H. Sawada, N. Ogawa, T. Morota, C. Honda,


N. Sakatani, M. Hayakawa, Y. Yokota, Y. Yamamoto, S. Sugita

PII: S0019-1035(17)30225-7 DOI: 10.1016/j.icarus.2017.09.011

Reference: YICAR 12607

To appear in: Icarus

Received date: 19 March 2017
Revised date: 3 September 2017
Accepted date: 11 September 2017



Please cite this article as: H. Suzuki, M. Yamada, T. Kouyama, E. Tatsumi, S. Kameda, R. Honda, H. Sawada, N. Ogawa, T. Morota, C. Honda, N. Sakatani, M. Hayakawa, Y. Yokota, Y. Yamamoto, S. Sugita, Initial Inflight Calibration for Hayabusa2 Optical Navigation Camera (ONC) for Science Observations of Asteroid Ryugu, *Icarus* (2017), doi: 10.1016/j.icarus.2017.09.011

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### ACCEPTED MANUSCRIPT

### Highlights

- Optical calibrations based on actual flight data of celestial bodies are performed.
- A unique method using lunar radiance models is performed for a calibration of ONC-T.
- Detectability of the serpentine absorption band in Ryugu by ONC-T is proved.
- Potential problems of the ONC found in cruising, and countermeasures are presented.
- Essential information on optical specification of ONC for image handling is shown.

### Download English Version:

# https://daneshyari.com/en/article/5486952

Download Persian Version:

https://daneshyari.com/article/5486952

<u>Daneshyari.com</u>