

Accepted Manuscript

Generating realistic synthetic meteoroid orbits


Denis Vida, Peter G. Brown, Margaret Campbell-Brown

PII: S0019-1035(17)30152-5
DOI: [10.1016/j.icarus.2017.06.020](https://doi.org/10.1016/j.icarus.2017.06.020)
Reference: YICAR 12504

To appear in: *Icarus*

Received date: 18 February 2017
Revised date: 5 June 2017
Accepted date: 8 June 2017

Please cite this article as: Denis Vida, Peter G. Brown, Margaret Campbell-Brown, Generating realistic synthetic meteoroid orbits, *Icarus* (2017), doi: [10.1016/j.icarus.2017.06.020](https://doi.org/10.1016/j.icarus.2017.06.020)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A method for generating synthetic sporadic meteoroid orbits is proposed.
- The method uses Kernel Density Estimation to model the sporadic background.
- The model is built using an existing meteoroid dataset of sporadic orbits.
- The model preserves the biases of the system the data was taken with.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5486981>

Download Persian Version:

<https://daneshyari.com/article/5486981>

[Daneshyari.com](https://daneshyari.com)