

Accepted Manuscript

Young Lunar Volcanic Features: Thermophysical Properties and Formation

C.M. Elder, P.O. Hayne, J.L. Bandfield, R.R. Ghent, J.-P. Williams, K.L. Donaldson Hanna, D.A. Paige


PII: S0019-1035(16)30767-9
DOI: [10.1016/j.icarus.2017.03.004](https://doi.org/10.1016/j.icarus.2017.03.004)
Reference: YICAR 12396

To appear in: *Icarus*

Received date: 22 November 2016
Accepted date: 8 March 2017

Please cite this article as: C.M. Elder, P.O. Hayne, J.L. Bandfield, R.R. Ghent, J.-P. Williams, K.L. Donaldson Hanna, D.A. Paige, Young Lunar Volcanic Features: Thermophysical Properties and Formation, *Icarus* (2017), doi: [10.1016/j.icarus.2017.03.004](https://doi.org/10.1016/j.icarus.2017.03.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- Ina has a lower thermal inertia than its surrounding terrain
- Pyroclastic activity may have occurred at Ina
- There is not extensive coherent rock in the top 15 cm of irregular mare patches (IMPs)
- IMPs have a rock abundance slightly higher than their surrounding terrain

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5487046>

Download Persian Version:

<https://daneshyari.com/article/5487046>

[Daneshyari.com](https://daneshyari.com)