## Accepted Manuscript

Spatial distribution of impact craters on Deimos

Naoyuki Hirata

 PII:
 S0019-1035(16)30345-1

 DOI:
 10.1016/j.icarus.2017.01.035

 Reference:
 YICAR 12357

To appear in: Icarus

Received date:	1 July 2016
Revised date:	26 January 2017
Accepted date:	30 January 2017



Please cite this article as: Naoyuki Hirata, Spatial distribution of impact craters on Deimos, *Icarus* (2017), doi: 10.1016/j.icarus.2017.01.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- This work studied the Deimos surface imaged at 43 m/pixel minimum resolution.
- Craters (D > 30 m) on the studied areas of Deimos are randomly distributed
- The size-frequency distribution slope is shallower in craters than in impactors
- Both of these observations are explained by seismic-shaking and ejecta emplacement

Download English Version:

## https://daneshyari.com/en/article/5487080

Download Persian Version:

https://daneshyari.com/article/5487080

Daneshyari.com