

Accepted Manuscript

Spreading vs. Rifting as modes of extensional tectonics on the globally expanded Ganymede


Alberto Pizzi , Alessandra Di Domenica , Goro Komatsu ,
Alessandra Cofano , Giuseppe Mitri , Lorenzo Bruzzone

PII: S0019-1035(16)30609-1
DOI: [10.1016/j.icarus.2017.01.034](https://doi.org/10.1016/j.icarus.2017.01.034)
Reference: YICAR 12356

To appear in: *Icarus*

Received date: 19 September 2016
Revised date: 25 January 2017
Accepted date: 30 January 2017

Please cite this article as: Alberto Pizzi , Alessandra Di Domenica , Goro Komatsu ,
Alessandra Cofano , Giuseppe Mitri , Lorenzo Bruzzone , Spreading vs. Rifting as modes of extensional tectonics on the globally expanded Ganymede, *Icarus* (2017), doi: [10.1016/j.icarus.2017.01.034](https://doi.org/10.1016/j.icarus.2017.01.034)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Two modes of extension are recognized on Ganymede: spreading center and crustal rift.
- D_{\max}/L for extensional faults on Earth and Ganymede are comparable.
- Spreading centers are widespread, suggesting a larger global expansion of Ganymede.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/5487085>

Download Persian Version:

<https://daneshyari.com/article/5487085>

[Daneshyari.com](https://daneshyari.com)