Accepted Manuscript

Spectral decomposition of asteroid Itokawa based on principal component analysis

Sumire C. Koga, Seiji Sugita, Shunichi Kamata, Masateru Ishiguro, Takahiro Hiroi, Eri Tatsumi, Sho Sasaki

PII:S0019-1035(17)30582-1DOI:10.1016/j.icarus.2017.08.016Reference:YICAR 12569



To appear in: Icarus

Received date:7 May 2015Revised date:10 July 2017Accepted date:4 August 2017

Please cite this article as: Sumire C. Koga, Seiji Sugita, Shunichi Kamata, Masateru Ishiguro, Takahiro Hiroi, Eri Tatsumi, Sho Sasaki, Spectral decomposition of asteroid Itokawa based on principal component analysis, *Icarus* (2017), doi: 10.1016/j.icarus.2017.08.016

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- The first principal component of Itokawa spectra is due to space weathering •
- The Itokawa surface spectra span widely from Q-type to S-type spectra •
- The spectral evolution track of S-type asteroids may be seen on Itokawa spectra

en de

Download English Version:

https://daneshyari.com/en/article/5487237

Download Persian Version:

https://daneshyari.com/article/5487237

Daneshyari.com