

Accepted Manuscript

Research articles

Perpendicular magnetic anisotropy in nearly fully compensated ferrimagnetic Heusler alloy $\text{Mn}_{0.75}\text{Co}_{1.25}\text{VIn}$: An *ab initio* study

Muthui Zipporah, Musembi Robinson, Mwabora Julius, Kashyap Arti

PII: S0304-8853(17)31056-9

DOI: <http://dx.doi.org/10.1016/j.jmmm.2017.06.102>

Reference: MAGMA 62898

To appear in: *Journal of Magnetism and Magnetic Materials*

Received Date: 29 March 2017

Revised Date: 30 May 2017

Accepted Date: 24 June 2017

Please cite this article as: M. Zipporah, M. Robinson, M. Julius, K. Arti, Perpendicular magnetic anisotropy in nearly fully compensated ferrimagnetic Heusler alloy $\text{Mn}_{0.75}\text{Co}_{1.25}\text{VIn}$: An *ab initio* study, *Journal of Magnetism and Magnetic Materials* (2017), doi: <http://dx.doi.org/10.1016/j.jmmm.2017.06.102>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Perpendicular magnetic anisotropy in nearly fully compensated ferrimagnetic Heusler alloy $\text{Mn}_{0.75}\text{Co}_{1.25}\text{VIn}$: An *ab initio* study

Muthui Zipporah^{1, 2}, Musembi Robinson¹, Mwabora Julius¹, and Kashyap Arti^{2 a)}

¹*Department of Physics, University of Nairobi, P.O.Box 30197, 00100, Nairobi, Kenya*

²*School of Basic Sciences, Indian Institute of Technology, Mandi, Himachal Pradesh, 175005, India*

ABSTRACT

First principles calculations are reported on perpendicular magnetic anisotropy (PMA) in nearly fully compensated ferrimagnetic Heusler compound $\text{Mn}_{0.75}\text{Co}_{1.25}\text{VIn}$. The structural, electronic and magnetic properties of $\text{Mn}_{2-x}\text{Co}_x\text{VIn}$ Heusler compounds ($x = 0.0, 0.25, 0.50, 0.75, 1.0, 1.25$, and 1.75) have been investigated using Density Functional theory (DFT) as implemented in the Vienna *ab initio* simulation package (VASP). The Perdew Burke Ernzerhof parametrization of the generalized gradient approximation (GGA) was used to treat the exchange and correlation in the system. The crystal structure of the compounds with $x = 0.75, 1.00$ and 1.25 are found to be tetragonally distorted. While the former exhibits inplane magnetocrystalline anisotropy (IMA) energy of 0.035 meV, the latter two exhibit perpendicular magnetocrystalline anisotropy (PMA) energy of 11.700 meV and 96.800 meV respectively. Additionally, the magnetic moments for $x = 0.75$ and 1.25 are found to be $\sim 0.5 \mu_B/\text{f.u.}$ while for $x = 1.00$, it is found to be $\sim 0 \mu_B/\text{f.u.}$, in agreement with the Slater Pauling rule for half metallic systems. Through Co replacement of Mn in Mn_2VIn which is not half metallic at the optimized volume, a composition whose crystal structure is tetragonally distorted is found, which is not only a highly spin polarized nearly fully compensated ferrimagnet but also exhibits PMA.

INTRODUCTION

Half metallic ferrimagnetism is one of the properties possessed by some X_2YZ Heusler compounds, which is preferred over half metallic ferromagnetism in magneto electronic applications. This is due to the small total magnetic moments in these systems which are not affected by external magnetic fields and do not give rise to strong stray fields, while leading to

^{a)} Electronic mail to arti@iitmandi.ac.in

^(b) All the authors contributed equally to this work.

^(c) This research was performed while Muthui Z. was at IIT, Mandi, Himachal Pradesh, 175005, India

Download English Version:

<https://daneshyari.com/en/article/5490240>

Download Persian Version:

<https://daneshyari.com/article/5490240>

[Daneshyari.com](https://daneshyari.com)