
## Author's Accepted Manuscript

Poly (I:C) impairs NO donor-induced relaxation by overexposure to NO via the NF-kappa B/iNOS pathway in rat superior mesenteric arteries

Makoto Ando, Takayuki Matsumoto, Kumiko Taguchi, Tsuneo Kobayashi



PII: S0891-5849(17)30743-8

DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2017.08.027

Reference: FRB13437

To appear in: Free Radical Biology and Medicine

Received date: 21 February 2017 Revised date: 30 August 2017 Accepted date: 31 August 2017

Cite this article as: Makoto Ando, Takayuki Matsumoto, Kumiko Taguchi and Tsuneo Kobayashi, Poly (I:C) impairs NO donor-induced relaxation by overexposure to NO via the NF-kappa B/iNOS pathway in rat superior mesenteric arteries. Free Radical Biology Medicine. and http://dx.doi.org/10.1016/j.freeradbiomed.2017.08.027

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Poly (I:C) impairs NO donor-induced relaxation by overexposure to NO via the NF-kappa B/iNOS pathway in rat superior mesenteric arteries

Makoto Ando <sup>a,1</sup>, Takayuki Matsumoto <sup>a,1</sup>, Kumiko Taguchi <sup>a</sup>, and Tsuneo Kobayashi a,\*

Department of Physiology and Morphology, Institute of Medicinal Chemistry, Hoshi University, Shinagawa-ku, Tokyo 142-8501, Japan

Running head: Impaired NO donor-induced relaxation in poly (I:C)-treated rat superior mesenteric arteries

<sup>1</sup> These authors contributed equally to this work and should be considered as co-first authors.

Takayuki Matsumoto, Ph.D. FAHA

Department of Physiology and Morphology, Institute of Medicinal Chemistry, Hoshi University, 2-4-41 Ebara, Shinagawa-ku, Tokyo 142-8501, Japan

Phone & Fax: 81-3-5498-5726, E-mail: t-matsu@hoshi.ac.jp

\*Corresponding author: Tsuneo Kobayashi, PhD

Department of Physiology and Morphology, Institute of Medicinal Chemistry,

Hoshi University, Shinagawa-ku, Tokyo 142-8501, Japan

Tel. and Fax: +81-3-5498-5849

E-mail: tkoba@hoshi.ac.jp

**Conflict of interest disclosure** 

No conflict of interest to disclose.

## Download English Version:

## https://daneshyari.com/en/article/5501708

Download Persian Version:

https://daneshyari.com/article/5501708

<u>Daneshyari.com</u>