Melatonin-mediated upregulation of Sirt3 attenuates sodium fluoride-induced hepatotoxicity by activating the MT1-PI3K/AKT-PGC-1α signaling pathway

Chao Song, Jiamin Zhao, Beibei Fu, Dan Li, Tingchao Mao, Wei Peng, Haibo Wu, Yong Zhang



www.elsevier.com

PII: S0891-5849(17)30749-9
DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2017.09.005
Reference: FRB13443

To appear in: *Free Radical Biology and Medicine*

Received date: 23 April 2017
Revised date: 28 August 2017
Accepted date: 8 September 2017

Cite this article as: Chao Song, Jiamin Zhao, Beibei Fu, Dan Li, Tingchao Mao, Wei Peng, Haibo Wu and Yong Zhang, Melatonin-mediated upregulation of Sirt3 attenuates sodium fluoride-induced hepatotoxicity by activating the MT1-PI3K/AKT-PGC-1α signaling pathway, *Free Radical Biology and Medicine,* http://dx.doi.org/10.1016/j.freeradbiomed.2017.09.005

Running head of the title: Melatonin alleviates NaF-induced hepatotoxicity

Title: Melatonin-mediated upregulation of Sirt3 attenuates sodium fluoride-induced hepatotoxicity by activating the MT1-PI3K/AKT-PGC-1α signaling pathway

Authors: Chao Song[a, b, 1], Jiamin Zhao[a, b, 1], Beibei Fu[a, b], Dan Li[a, b], Tingchao Mao[a, b], Wei Peng[a, b, 1], Haibo Wu[a, b,*], Yong Zhang[a, b,*]

Author affiliations: [a] College of Veterinary Medicine, Northwest A&F University, Yangling 712100, Shaanxi, China.

[b] Key Laboratory of Animal Biotechnology, Ministry of Agriculture, Northwest A&F University, Yangling 712100, Shaanxi, China.

[1] These authors contributed equally to this study.

Corresponding author: *Correspondence should be addressed to Haibo Wu or Yong Zhang.

Tel.: +86 29 87080092

Fax: +86 29 87080092

E-mail: hbwu029@nwsuaf.edu.cn (H.W) or zhangy1956@sina.com (Y.Z)