Author's Accepted Manuscript

Oxidative stress leads to reduction of plasmalogen serving as a novel biomarker for systemic lupus erythematosus

Changfeng Hu, Jia Zhou, Shasha Yang, Haichang Li, Chunyan Wang, Xiaoling Fang, Yongsheng Fan, Jida Zhang, Xianlin Han, Chengping Wen



 PII:
 S0891-5849(16)31030-9

 DOI:
 http://dx.doi.org/10.1016/j.freeradbiomed.2016.11.006

 Reference:
 FRB13061

To appear in: Free Radical Biology and Medicine

Received date: 22 July 2016 Revised date: 8 September 2016 Accepted date: 3 November 2016

Cite this article as: Changfeng Hu, Jia Zhou, Shasha Yang, Haichang Li Chunyan Wang, Xiaoling Fang, Yongsheng Fan, Jida Zhang, Xianlin Han and Chengping Wen, Oxidative stress leads to reduction of plasmalogen serving as a novel biomarker for systemic lupus erythematosus, *Free Radical Biology and Medicine*, http://dx.doi.org/10.1016/j.freeradbiomed.2016.11.006

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

ACCEPTED MANUSCRIP

Oxidative stress leads to reduction of plasmalogen serving as a novel biomarker for systemic lupus erythematosus

Changfeng Hu^{a1}, Jia Zhou^{a1}, Shasha Yang^a, Haichang Li^a, Chunyan Wang^b, Xiaoling Fang^b, Yongsheng Fan^a, Jida Zhang^a, Xianlin Han^{a,b*}, Chengping Wen^{a*}

^aCollege of Basic Medical Sciences, Zhejiang Chinese Medical University, Hangzhou, Zhejiang, China ^bCenter for Metabolic Origins of Disease, Sanford Burnham Prebys Medical Discovery Institute, Orlando, Florida, USA

xhan@sbpdiscovery.org

cpwen.zcmu@yahoo.com

^{*}Corresponding authors.

Abstract

Oxidative stress is elevated in systemic lupus erythematosus (SLE) patients, and associated extensively with SLE pathogenesis. However, no common indicators of oxidative stress are yet in routine clinical use because of their instability, nonspecificity, and non-representation of all SLE symptoms. Moreover, the method for reproducible analysis of reactive oxygen species is

¹ These authors contributed equally to this work.

Download English Version:

https://daneshyari.com/en/article/5501873

Download Persian Version:

https://daneshyari.com/article/5501873

Daneshyari.com