REAL-TIME QUANTIFICATION OF SUBCELLULAR H_2O_2 AND GLUTATHIONE REDOX POTENTIAL IN LIVING CARDIOVASCULAR TISSUES

Emiliano Panieri, Carlo Millia, Massimo M. Santoro



www.elsevier.com

PII: S0891-5849(17)30083-7
DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2017.02.022
Reference: FRB13215

To appear in: *Free Radical Biology and Medicine*

Received date: 25 November 2016
Revised date: 31 January 2017
Accepted date: 8 February 2017

Cite this article as: Emiliano Panieri, Carlo Millia and Massimo M. Santoro REAL-TIME QUANTIFICATION OF SUBCELLULAR H_2O_2 AND GLUTATHIONE REDOX POTENTIAL IN LIVING CARDIOVASCULAR TISSUES, *Free Radical Biology and Medicine* http://dx.doi.org/10.1016/j.freeradbiomed.2017.02.022

REAL-TIME QUANTIFICATION OF SUBCELLULAR H_20_2 AND GLUTATHIONE REDOX POTENTIAL IN LIVING CARDIOVASCULAR TISSUES

Emiliano Panieri[1], Carlo Millia[2] and Massimo M. Santoro[1,2]

[1]Department of Molecular Biotechnology and Health Sciences, University of Turin, Torino, Italy.

[2]Laboratory of Endothelial Molecular Biology, Department of Oncology, VIB-KUL, Leuven, Belgium.

Corresponding author: massimo.santoro@unito.it