### Accepted Manuscript

Re-emergence of a tumefactive demyelinating lesion after initiation of fingolimod therapy

Yu Hashimoto, Koji Shinoda, Eizo Tanaka, Taira Uehara, Takuya Matsushita, Ryo Yamasaki, Jun-ichi Kira


PII: S0022-510X(17)30376-3

DOI: doi: 10.1016/j.jns.2017.06.002


Reference: JNS 15377

To appear in: Journal of the Neurological Sciences

Received date: 3 May 2017 Revised date: 2 June 2017 Accepted date: 6 June 2017



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## **ACCEPTED MANUSCRIPT**

#### Letters to the Editor

Re-emergence of a tumefactive demyelinating lesion after initiation of fingolimod therapy

Yu Hashimoto, Koji Shinoda, Eizo Tanaka, Taira Uehara, Takuya Matsushita, Ryo Yamasaki and Jun-ichi Kira\*

Department of Neurology, Neurological Institute, Graduate School of Medical Sciences, Kyushu

University, Fukuoka, Japan

\*Corresponding author at: Department of Neurology, Neurological Institute, Graduate School of

Medical Sciences, Kyushu University, 3-1-1 Maidashi, Higashi-ku, Fukuoka 812-8582, Japan.

E-mail: kira@neuro.med.kyushu-u.ac.jp

Keywords: tumefactive demyelinating lesion, multiple sclerosis, fingolimod, MRI

Character count for the title: 95 characters including spaces

Word count for the text: 999 words

Number of references: 10 references

Numbers of tables and figures: 1 figure

#### Download English Version:

# https://daneshyari.com/en/article/5502756

Download Persian Version:

https://daneshyari.com/article/5502756

<u>Daneshyari.com</u>