


Accepted Manuscript

Frontotemporal dementia as the presenting phenotype of p.A53T mutation carriers in the alpha-synuclein gene

Anastasia Bougea, Christos Koros, Maria Stamelou, Athina-Maria Simitsi, Nikolaos Papagiannakis, Roubina Antonellou, Dimitra Papadimitriou, Marianthi Breza, Konstantinos Tasios, Stella Fragkiadaki, Xenia Gericola Trapali, Mara Bourboulis, Georgios Koutsis, Sokratis G. Papageorgiou, Elisabeth Kapaki, George P. Paraskevas, Leonidas Stefanis



PII: S1353-8020(16)30470-9

DOI: [10.1016/j.parkreldis.2016.12.002](https://doi.org/10.1016/j.parkreldis.2016.12.002)

Reference: PRD 3181

To appear in: *Parkinsonism and Related Disorders*

Received Date: 13 September 2016

Revised Date: 14 November 2016

Accepted Date: 3 December 2016

Please cite this article as: Bougea A, Koros C, Stamelou M, Simitsi A-M, Papagiannakis N, Antonellou R, Papadimitriou D, Breza M, Tasios K, Fragkiadaki S, Trapali XG, Bourboulis M, Koutsis G, Papageorgiou SG, Kapaki E, Paraskevas GP, Stefanis L, Frontotemporal dementia as the presenting phenotype of p.A53T mutation carriers in the alpha-synuclein gene, *Parkinsonism and Related Disorders* (2017), doi: 10.1016/j.parkreldis.2016.12.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Frontotemporal dementia as the presenting phenotype of p.A53T mutation carriers in the alpha-synuclein gene

Anastasia Bougea^{1*}, Christos Koros^{2*}, Maria Stamelou^{2,3}, Athina-Maria Simitsi², Nikolaos Papagiannakis², Roubina Antonellou², Dimitra Papadimitriou⁴, Marianthi Breza⁶, Konstantinos Tasios², Stella Fragkiadaki², Xenia Geronicola Trapali⁵, Mara Bourbouli¹, Georgios Koutsis⁶, Sokratis G. Papageorgiou², Elisabeth Kapaki¹, George P. Paraskevas^{1*}, Leonidas Stefanis^{2,7*}

*Equally contributed

¹1st Department of Neurology, Eginition Hospital, Medical School, National and Kapodistrian University of Athens, Athens, Greece

²2nd Department of Neurology, Attikon Hospital, Medical School, National and Kapodistrian University of Athens, Athens, Greece

³Department of Neurology, Philipps University, Marburg, Germany

⁴Neurology Clinic, Henry Dunan Hospital, Athens, Greece

⁵Nuclear Medicine Unit, Attikon Hospital, Medical School, National and Kapodistrian University of Athens, Athens, Greece

⁶Neurogenetics Unit, Eginition Hospital, Medical School, National and Kapodistrian University of Athens, Athens, Greece

⁷Center of Clinical Research, Experimental Surgery and Translational Research, Biomedical Research Foundation of the Academy of Athens, Athens, Greece

Corresponding author:

Leonidas Stefanis

2nd Department of Neurology, Attikon Hospital, Medical School, National and Kapodistrian University of Athens, Athens, Greece and

Center of Clinical Research, Experimental Surgery and Translational Research, Biomedical Research Foundation of the Academy of Athens, Athens, Greece

Address: Rimini 1 str, Haidari, 124 62, Athens, Greece

Telephone: 00302105832473

Email: lstefanis@bioacademy.gr

Word count : 2037

Keywords: Parkinson's disease; alpha-synuclein; frontotemporal dementia; dysexecutive syndrome; tau protein

Download English Version:

<https://daneshyari.com/en/article/5503826>

Download Persian Version:

<https://daneshyari.com/article/5503826>

[Daneshyari.com](https://daneshyari.com)