


# Accepted Manuscript



Which patients discontinue? Issues on Levodopa/carbidopa intestinal gel treatment: Italian multicentre survey of 905 patients with long-term follow-up

Mariachiara Sensi, MD, PhD, Giovanni Cossu, MD, Francesca Mancini, MD, Manuela Pilleri, MD, Maurizio Zibetti, MD, Nicola Modugno, MD, PhD, Rocco Quatralè, MD, Filippo Tamma, MD, Angelo Antonini, MD, PhD, Marco Aguggia, MD, Marianna Amboni, MD, PhD, Roberta Arca, MD, Luigi Bartolomei, MD, Nicola Bonetto, MD, Giovanna Calandra-Buonaura, MD, PhD, Francesco Bove, MD, Daniela Calandrella, MD, Margherita Canesi, MD, PhD, Antonino Cannas, MD, Marianna Capecci, MD, Elena Caputo, MD, Maria Gabriella Ceravolo, MD, PhD, Roberto Ceravolo, MD, Gloria Cerrone, BScN, Mario Coletti Moja, MD, Cristoforo Comi, MD, Pietro Cortelli, MD, PhD, Paola D'Antonio, MD, Francesca Dematteis, MD, Vincenzo Di Lazzaro, MD, PhD, Roberto Eleopra, MD, Giovanni Fabbrini, MD, Mario Fichera, MD, Enrico Grassi, MD, Marco Guido, MD, Graziano Gusmaroli, MD, Anna Latorre, MD, Maria Chiara Malaguti, MD, Massimo Marano, MD, Pietro Marano, MD, Roberto Marconi, MD, Sonia Mazzucchi, MD, Giuseppe Meco, MD, PhD, Brigida Minafra, MD, Francesca Morgante, MD, PhD, Claudio Pacchetti, MD, PhD, Mariangela Pierantozzi, MD, PhD, Francesco E. Pontieri, MD, PhD, Giulio Riboldazzi, MD, Valeria Ricchi, MD, Gianluigi Ricchieri, MD, Sara Rinaldo, NT, Vittorio Rispoli, MD, Simone Rossi, MD, PhD, Alfonso Rubino, MD, Antonio Russo, MD, PhD, Maria Valeria Saddi, MD, Alessandro Stefani, MD, PhD, Simone Simoni, MD, Paolo Solla, MD, Nicola Tambasco, MD, Stefano Tamburin, MD, Alessandro Tessitore, MD, PhD, Elena Torre, MD, Monica Ulivelli, MD, Maria Gabriella Vita, MD, Maria Antonietta Volonté, MD

PII: S1353-8020(17)30070-6

DOI: [10.1016/j.parkreldis.2017.02.020](https://doi.org/10.1016/j.parkreldis.2017.02.020)

Reference: PRD 3247

To appear in: *Parkinsonism and Related Disorders*

Received Date: 27 October 2016

Revised Date: 11 February 2017

Accepted Date: 18 February 2017

Please cite this article as: Sensi M, Cossu G, Mancini F, Pilleri M, Zibetti M, Modugno N, Quatralè R, Tamma F, Antonini A, on behalf of the ITALIAN LEVODOPA CARBIDOPA INTESTINAL GEL

WORKING GROUP, Aguggia M, Amboni M, Arca R, Bartolomei L, Bonetto N, Calandra-Buonaura G, Bove F, Calandrella D, Canesi M, Cannas A, Capecci M, Caputo E, Ceravolo MG, Ceravolo R, Cerrone G, Coletti Moja M, Comi C, Cortelli P, D'Antonio P, Dematteis F, Di Lazzaro V, Eleopra R, Fabbrini G, Fichera M, Grassi E, Guido M, Gusmaroli G, Latorre A, Malaguti MC, Marano M, Marano P, Marconi R, Mazzucchi S, Meco G, Minafra B, Morgante F, Pacchetti C, Pierantozzi M, Pontieri FE, Riboldazzi G, Ricchi V, Ricchieri G, Rinaldo S, Rispoli V, Rossi S, Rubino A, Russo A, Saddi MV, Stefani A, Simoni S, Solla P, Tambasco N, Tamburin S, Tessitore A, Torre E, Ulivelli M, Vita MG, Volonté MA, Which patients discontinue? Issues on Levodopa/carbidopa intestinal gel treatment: Italian multicentre survey of 905 patients with long-term follow-up, *Parkinsonism and Related Disorders* (2017), doi: 10.1016/j.parkreldis.2017.02.020.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Download English Version:

<https://daneshyari.com/en/article/5503982>

Download Persian Version:

<https://daneshyari.com/article/5503982>

[Daneshyari.com](https://daneshyari.com)