

Accepted Manuscript

The role of plasmin in the pathogenesis of murine multiple myeloma

Salita Eiamboonsert, Yousef Salama, Hiroshi Watarai, Douaa Dhahri, Yuko Tsuda, Yoshio Okada, Koichi Hattori, Beate Heissig



PII: S0006-291X(17)30924-5

DOI: [10.1016/j.bbrc.2017.05.062](https://doi.org/10.1016/j.bbrc.2017.05.062)

Reference: YBBRC 37783

To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 3 May 2017

Accepted Date: 10 May 2017

Please cite this article as: S. Eiamboonsert, Y. Salama, H. Watarai, D. Dhahri, Y. Tsuda, Y. Okada, K. Hattori, B. Heissig, The role of plasmin in the pathogenesis of murine multiple myeloma, *Biochemical and Biophysical Research Communications* (2017), doi: 10.1016/j.bbrc.2017.05.062.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

BBRC, original manuscript

3859 words

The role of plasmin in the pathogenesis of murine multiple myeloma

Salita Eiamboonsert^a, Yousef Salama^a, Hiroshi Watarai^b, Douaa Dhahri^a, Yuko Tsuda^c,
Yoshio Okada^b, Koichi Hattori^{b,d,*}, Beate Heissig^{a,e,*},†

^a Division of Stem Cell Dynamics, Center for Stem Cell Biology and Regenerative Medicine, The Institute of Medical Science, The University of Tokyo, 4-6-1 Shirokanedai, Minato-ku, Tokyo 108-8639, Japan

^b Center for Stem Cell biology and Regenerative Medicine, The Institute of Medical Science, The University of Tokyo, 4-6-1 Shirokanedai, Minato-ku, Tokyo 108-8639, Japan

^c Faculty of Pharmaceutical Sciences, Kobe Gakuin University, 1-1-3 Minatojima, Chuo-ku, Kobe 850-8586, Japan.

^d Center for Genome and Regenerative Medicine, Juntendo University School of Medicine, 2-1-1 Hongo, Bunkyo-ku, Tokyo 113-8421, Japan

^e Atopy Center, Juntendo University School of Medicine, 2-1-1 Hongo, Bunkyo-ku, Tokyo 113-8421, Japan

* Equally contributed senior authors

† Corresponding author

Address correspondence to:

Beate Heissig, MD

Division of Stem Cell Dynamics, The Institute of Medical Science,

The University of Tokyo

4-6-1, Shirokanedai, Minato-ku,

Tokyo 108-8639, JAPAN.

Phone: +81-3-5449-5136,

Fax: +81-3-5449-5724,

E-mail: heissig@ims.u-tokyo.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5505790>

Download Persian Version:

<https://daneshyari.com/article/5505790>

[Daneshyari.com](https://daneshyari.com)