


Accepted Manuscript

A hydrocortisone derivative binds to GAPDH and reduces the toxicity of extracellular polyglutamine-containing aggregates

Vladimir F. Lazarev, Elena R. Mikhaylova, Elizaveta A. Dutysheva, Roman V. Suezov, Irina V. Guzhova, Boris A. Margulis



PII: S0006-291X(17)30807-0

DOI: [10.1016/j.bbrc.2017.04.125](https://doi.org/10.1016/j.bbrc.2017.04.125)

Reference: YBBRC 37683


To appear in: *Biochemical and Biophysical Research Communications*

Received Date: 16 April 2017

Accepted Date: 23 April 2017

Please cite this article as: V.F. Lazarev, E.R. Mikhaylova, E.A. Dutysheva, R.V. Suezov, I.V. Guzhova, B.A. Margulis, A hydrocortisone derivative binds to GAPDH and reduces the toxicity of extracellular polyglutamine-containing aggregates, *Biochemical and Biophysical Research Communications* (2017), doi: 10.1016/j.bbrc.2017.04.125.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Download English Version:

<https://daneshyari.com/en/article/5505870>

Download Persian Version:

<https://daneshyari.com/article/5505870>

[Daneshyari.com](https://daneshyari.com)