## Accepted Manuscript

Subcellular localization of leptin and leptin receptor in breast cancer detected in an electron microscopic study

Saad M. Al-Shibli, Nasser M. Amjad, Muna K. Al-Kubaisi, Shaikh Mizan

PII: S0006-291X(16)32039-3

DOI: 10.1016/j.bbrc.2016.11.165

Reference: YBBRC 36869

To appear in: Biochemical and Biophysical Research Communications

Received Date: 22 November 2016

Accepted Date: 29 November 2016

Please cite this article as: S.M. Al-Shibli, N.M. Amjad, M.K. Al-Kubaisi, S. Mizan, Subcellular localization of leptin and leptin receptor in breast cancer detected in an electron microscopic study, *Biochemical and Biophysical Research Communications* (2016), doi: 10.1016/j.bbrc.2016.11.165.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Subcellular localization of leptin and leptin receptor in breast cancer detected in an electron microscopic study

Saad M. Al-Shibli<sup>a</sup>, Nasser M. Amjad<sup>b</sup>, Muna K. Al-Kubaisi<sup>c</sup>, Shaikh Mizan<sup>a<sup>a</sup></sup>

<sup>a</sup> Department of Basic Medical Sciences, Faculty of Medicine, International Islamic University Malaysia, 25200 Kuantan, Pahang, Malaysia.

<sup>b</sup>Department of Surgery, Faculty of Medicine, International Islamic University Malaysia, 25200 Kuantan, Pahang, Malaysia.

<sup>c</sup>Department of Obstetrics and Gynecology, Faculty of Medicine, International Islamic University Malaysia, 25200 Kuantan, Pahang, Malaysia.

\* Corresponding author: Email: <smizan@iium.edu.my> Tel: (60) 9-570-4496; Cell: (60) 112-639-6670; Fax: (60) 9-571-6770

## Abstract

Leptin (LEP) and leptin receptor (LEPR) have long been found associated with breast cancer. So far no high-resolution method such as electron microscopy has been used to investigate the subcellular localization of leptin and leptin receptor in breast cancer. We collected cancer and non-cancer breast tissues from 51 cases of invasive ductal breast cancer. Leptin and leptin receptor in the tissues were estimated using immunohistochemistry (IHC). LEP and LEPR were localized at subcellular level by immunocytochemistry (ICC) using ultra-fine gold particle

Download English Version:

## https://daneshyari.com/en/article/5506299

Download Persian Version:

https://daneshyari.com/article/5506299

Daneshyari.com