Docosahexaenoic acid phospholipid differentially modulates the conformation of G90V and N55K rhodopsin mutants associated with retinitis pigmentosa

Xiaoyun Dong, María Guadalupe Herrera-Hernández, Eva Ramon, Pere Garriga

PII: S0005-2736(17)30060-3
DOI: doi:10.1016/j.bbamem.2017.02.006
Reference: BBAMEM 82425

To appear in: *BBA - Biomembranes*

Received date: 13 July 2016
Revised date: 9 February 2017
Accepted date: 11 February 2017

Please cite this article as: Xiaoyun Dong, María Guadalupe Herrera-Hernández, Eva Ramon, Pere Garriga, Docosahexaenoic acid phospholipid differentially modulates the conformation of G90V and N55K rhodopsin mutants associated with retinitis pigmentosa, *BBA - Biomembranes* (2017), doi:10.1016/j.bbamem.2017.02.006

Docosahexaenoic acid phospholipid differentially modulates the conformation of G90V and N55K rhodopsin mutants associated with retinitis pigmentosa

Xiaoyun Dong[1, †], María Guadalupe Herrera-Hernández[1, ‡], Eva Ramon[1], and Pere Garriga[1*]

[1]Grup de Biotecnologia Molecular i Industrial, Centre de Biotecnologia Molecular, Departament d'Enginyeria Química, Universitat Politècnica de Catalunya, Edifici Gaia, Rambla de Sant Nebridi 22, 08222 Terrassa, Catalonia, Spain.

Running title: Conformation of rhodopsin mutants in DHA phospholipid

[†] **Present address:** Group of Genetics in School of Bioscience and Technology, Weifang Medical University. Baotong West Street 7166, 261053 Weifang city, Shandong Province, China.

[‡] **Permanent address:** Campo Experimental Bajío (INIFAP). Km 6.5 Carretera Celaya-San Miguel Allende s/n. México. CP 38110.

[*]**Corresponding author:** Professor Pere Garriga, Grup de Biotecnologia Molecular i Industrial, Centre de Biotecnologia Molecular, Departament d'Enginyeria Química, Universitat Politècnica de Catalunya, Rambla de Sant Nebridi 22, 08222 Terrassa, Spain. Tel: +34 937398568; FAX: +34 937398225; E-mail: pere.garriga@upc.edu