

Accepted Manuscript

Identification of a new B4GalNAcT1 (GM2/GD2/GA2 synthase) isoform, and regulation of enzyme stability and intracellular transport by arginine-based motif

Fumi Shishido, Satoshi Uemura, Madoka Kashimura, Jin-ichi Inokuchi

PII: S0005-2736(17)30231-6
DOI: doi:[10.1016/j.bbamem.2017.07.006](https://doi.org/10.1016/j.bbamem.2017.07.006)
Reference: BBAMEM 82539

To appear in: *BBA - Biomembranes*

Received date: 24 February 2017
Revised date: 17 June 2017
Accepted date: 10 July 2017



Please cite this article as: Fumi Shishido, Satoshi Uemura, Madoka Kashimura, Jin-ichi Inokuchi, Identification of a new B4GalNAcT1 (GM2/GD2/GA2 synthase) isoform, and regulation of enzyme stability and intracellular transport by arginine-based motif, *BBA - Biomembranes* (2017), doi:[10.1016/j.bbamem.2017.07.006](https://doi.org/10.1016/j.bbamem.2017.07.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Identification of a new B4GalNAcT1 (GM2/GD2/GA2 synthase) isoform, and regulation of enzyme stability and intracellular transport by arginine-based motif

Fumi Shishido^{1,*}, Satoshi Uemura^{2,3,**}, Madoka Kashimura¹, and Jin-ichi Inokuchi^{1,**}

¹ Division of Glycopathology, Institute of Molecular Biomembrane and Glycobiology, Tohoku Medical and Pharmaceutical University, 4-4-1, Komatsushima, Aoba-ku, Sendai, Miyagi 981-8558, Japan

² Division of Medical Biochemistry, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, 4-4-1, Komatsushima, Aoba-ku, Sendai, Miyagi 981-8558, Japan

³ Division of Chemistry and Biological Science, College of Science and Engineering, Aoyama Gakuin University, 5-10-1 Fuchinobe, Chuo-ku, Sagami-hara, Kanagawa 252-5258, Japan

* These two authors contributed equally to the study.

** To whom correspondence should be addressed:

Jin-ichi Inokuchi: Division of Glycopathology, Institute of Molecular Biomembrane and Glycobiology, Tohoku Medical and Pharmaceutical University, 4-4-1, Komatsushima, Aoba-ku, Sendai, Miyagi, 981-8558, Japan. Tel.: +81-22-727-0117; Fax: +81-22-727-0076; E-mail: jin@tohoku-mpu.ac.jp.

Satoshi Uemura: Division of Medical Biochemistry, Faculty of Medicine, Tohoku Medical and Pharmaceutical University, 4-4-1, Komatsushima, Aoba-ku, Sendai, Miyagi, 981-8558, Japan. Tel.: +81-22-727-0209; Fax: +81-22-727-0245; E-mail: s-uemura@tohoku-mpu.ac.jp.

Download English Version:

<https://daneshyari.com/en/article/5507499>

Download Persian Version:

<https://daneshyari.com/article/5507499>

[Daneshyari.com](https://daneshyari.com)