Transfer of C-terminal residues of human apolipoprotein A-I to insect apolipophorin III creates a two-domain chimeric protein with enhanced lipid binding activity

James V.C. Horn, Rachel A. Ellena, Jesse J. Tran, Wendy H.J. Beck, Vasanthy Narayanaswami, Paul M.M. Weers

PII: S0005-2736(17)30133-5
DOI: doi:10.1016/j.bbamem.2017.04.017
Reference: BBAMEM 82482

To appear in: *BBA - Biomembranes*

Received date: 2 February 2017
Revised date: 14 April 2017
Accepted date: 19 April 2017

Please cite this article as: James V.C. Horn, Rachel A. Ellena, Jesse J. Tran, Wendy H.J. Beck, Vasanthy Narayanaswami, Paul M.M. Weers, Transfer of C-terminal residues of human apolipoprotein A-I to insect apolipophorin III creates a two-domain chimeric protein with enhanced lipid binding activity, *BBA - Biomembranes* (2017), doi:10.1016/j.bbamem.2017.04.017

Transfer of C-terminal residues of human apolipoprotein A-I to insect apolipophorin III creates a two-domain chimeric protein with enhanced lipid binding activity

James V. C. Horn, Rachel A. Ellena, Jesse J. Tran, Wendy H. J. Beck, Vasanthy Narayanaswami, and Paul M. M. Weers

Department of Chemistry and Biochemistry, California State University Long Beach, Long Beach, California 90840

To whom correspondence should be addressed: Dr. Paul Weers, Department of Chemistry and Biochemistry, California State University Long Beach, 1250 Bellflower Blvd, Long Beach, California 90840. Telephone: (562) 985 4948; FAX: (562) 985 8557; E-mail: paul.weers@csulb.edu