

Accepted Manuscript

Selectivity of major isoquinoline alkaloids from *Chelidonium majus* towards telomeric G-quadruplex: A study using a modified transition-FRET (t-FRET) assay

Sakineh Kazemi Noureini, Hosein Esmaili, Farzane Abachi, Soraia Khiali, Barira Islam, Martyna Kuta, Ali A. Saboury, Marcin Hoffmann, Jiri Sponer, Gary Parkinson, Shozeb Haider

PII: S0304-4165(17)30146-0
DOI: doi:[10.1016/j.bbagen.2017.05.002](https://doi.org/10.1016/j.bbagen.2017.05.002)
Reference: BBAGEN 28829

To appear in: *BBA - General Subjects*

Received date: 18 September 2016
Revised date: 18 April 2017
Accepted date: 1 May 2017



Please cite this article as: Sakineh Kazemi Noureini, Hosein Esmaili, Farzane Abachi, Soraia Khiali, Barira Islam, Martyna Kuta, Ali A. Saboury, Marcin Hoffmann, Jiri Sponer, Gary Parkinson, Shozeb Haider, Selectivity of major isoquinoline alkaloids from *Chelidonium majus* towards telomeric G-quadruplex: A study using a modified transition-FRET (t-FRET) assay, *BBA - General Subjects* (2017), doi:[10.1016/j.bbagen.2017.05.002](https://doi.org/10.1016/j.bbagen.2017.05.002)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Selectivity of major isoquinoline alkaloids from *Chelidonium majus* towards telomeric G-quadruplex: A study using a modified transition-FRET (t-FRET) assay.

Sakineh Kazemi Noureini^{a,*}, Hosein Esmaili^a, Farzane Abachi^a, Soraia Khiali^f, Barira Islam^b, Martyna Kuta^d, Ali A. Saboury^e, Marcin Hoffmann^d, Jiri Sponer^{b,c}, Gary Parkinson^f, Shozeb Haider^{f,*}

^a Department of Biology, Faculty of Basic Sciences, Hakim Sabzevari University, P.O.Box: 397, Sabzevar, Iran

^b Institute of Biophysics, Academy of Sciences of the Czech Republic, Královopolská 135, 612 65 Brno, Czech Republic

^c Central European Institute of Technology (CEITEC), Masaryk University, Campus Bohunice, Brno, Czech Republic

^d Adam Mickiewicz University, Poznan, Poland

^e Institute of Biochemistry and Biophysics, University of Tehran, Tehran, Iran

^f UCL School of Pharmacy, Brunswick Square, London, UK

*** Corresponding Authors:**

Sakineh Kazemi Noureini

Department of Biology, Faculty of Basic Sciences, Hakim Sabzevari University,
P.O.Box: 397, Sabzevar, Iran

Email: kazemibio@gmail.com

Tel.: +98-5144013012

Fax: +98-5144013365.

And

Shozeb Haider

UCL School of Pharmacy

29-39 Brunswick Square

London WC1N 1AX

UK

Email: Shozeb.haider@ucl.ac.uk

Tel.: +44-2077535883

Download English Version:

<https://daneshyari.com/en/article/5507899>

Download Persian Version:

<https://daneshyari.com/article/5507899>

[Daneshyari.com](https://daneshyari.com)