Nitroxides protect horseradish peroxidase from H_2O_2-induced inactivation and modulate its catalase-like activity

Amram Samuni, Eric Maimon, Sara Goldstein

PII: S0304-4165(17)30112-5
DOI: doi:10.1016/j.bbagen.2017.03.021
Reference: BBAGEN 28812

To appear in: *BBA - General Subjects*

Received date: 5 January 2017
Revised date: 5 March 2017
Accepted date: 20 March 2017

Please cite this article as: Amram Samuni, Eric Maimon, Sara Goldstein, Nitroxides protect horseradish peroxidase from H_2O_2-induced inactivation and modulate its catalase-like activity, *BBA - General Subjects* (2017), doi:10.1016/j.bbagen.2017.03.021

Nitroxides protect horseradish peroxidase from H_2O_2-induced inactivation and modulate its catalase-like activity

Amram Samuni[a], Eric Maimon[b], Sara Goldstein[c]*

[a]Institute of Medical Research Israel-Canada, Medical School , The Hebrew University of Jerusalem, Jerusalem 91120, Israel, [b] Nuclear Research Centre Negev, Beer Sheva, Israel, [c] Institute of Chemistry, The Accelerator Laboratory, the Hebrew University of Jerusalem, Jerusalem 91904, Israel

* To whom all correspondence should be directed.

Tel. 972-2-6586478; E-mail: sara.goldstein1@mail.huji.ac.il