Structural optimization of an aptamer generated from Ligand-Guided Selection (LIGS) resulted in high affinity variant toward mIgM expressed on Burkitt's lymphoma cell lines

Hazan E. Zümrüt, Sana Batool, Nabeela Van, Shanell George, Sanam Bhandari, Prabodhika Mallikaratchy

PII: S0304-4165(17)30111-3
DOI: doi:10.1016/j.bbagen.2017.03.020
Reference: BBAGEN 28811

To appear in: *BBA - General Subjects*

Received date: 20 January 2017
Revised date: 21 March 2017
Accepted date: 27 March 2017

Please cite this article as: Hazan E. Zümrüt, Sana Batool, Nabeela Van, Shanell George, Sanam Bhandari, Prabodhika Mallikaratchy, Structural optimization of an aptamer generated from Ligand-Guided Selection (LIGS) resulted in high affinity variant toward mIgM expressed on Burkitt's lymphoma cell lines, *BBA - General Subjects* (2017), doi:10.1016/j.bbagen.2017.03.020

Structural optimization of an aptamer generated from Ligand-Guided Selection (LIGS) resulted in high affinity variant toward mIgM expressed on Burkitt's lymphoma cell lines

Hazan E. Zümrüt[2], Sana Batool[1], Nabeela Van[1], Shanell George[1], Sanam Bhandari[1], and Prabodhika Mallikaratchy[1,2,3*]

[1]Department of Chemistry, Lehman College, The City University of New York, 250 Bedford Park Blvd. West, Bronx, NY 10468, USA
[2] Ph.D. Program in Chemistry and Biochemistry, CUNY Graduate Center 365 Fifth Avenue, New York, NY 10016, USA
[3] Ph.D. Program in Molecular, Cellular and Developmental Biology, CUNY Graduate Center, 365 Fifth Avenue, New York, NY 10016, USA

*To whom correspondence should be addressed: Prabodhika Mallikaratchy, Department of Chemistry, Lehman College, The City University of New York, 250 Bedford Park West, Bronx New York, NY 10468; prabodhika.mallikaratchy@lehman.cuny.edu; Phone: 347-577-4082.