

Involvement of caveolin-1 in low shear stress-induced breast cancer cell motility and adhesion: Roles of FAK/Src and ROCK/p-MLC pathways

Niya Xiong, Shun Li, Kai Tang, Hongxia Bai, Yueting Peng, Hong Yang, Chunhui Wu, Yiyao Liu

PII: S0167-4889(16)30267-1
DOI: doi: 10.1016/j.bbamcr.2016.10.013
Reference: BBAMCR 17961

To appear in: *BBA - Molecular Cell Research*

Please cite this article as: Niya Xiong, Shun Li, Kai Tang, Hongxia Bai, Yueting Peng, Hong Yang, Chunhui Wu, Yiyao Liu, Involvement of caveolin-1 in low shear stress-induced breast cancer cell motility and adhesion: Roles of FAK/Src and ROCK/p-MLC pathways, *BBA - Molecular Cell Research* (2016), doi: 10.1016/j.bbamcr.2016.10.013

Involvement of caveolin-1 in low shear stress-induced breast cancer cell motility and adhesion: roles of FAK/Src and ROCK/p-MLC pathways

Niya Xiong[1,§], Shun Li[1,§], Kai Tang[1], Hongxia Bai[1], Yueting Peng[1], Hong Yang[1,2], Chunhui Wu[1,2,3], Yiyao Liu[1,2,3 *]

[1] Department of Biophysics, School of Life Science and Technology, [2] Center for Information in Medicine, [3] Center for Information in Biology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P. R. China

[§] These authors contributed equally to this work

To whom correspondence should be addressed:

Prof. Yiyao Liu, Ph.D

Department of Biophysics, School of Life Science and Technology, University of Electronic Science and Technology of China, Chengdu 610054, Sichuan, P.R. China. Tel: +86-28-8320-3353, fax: +86-28-8320-8238; E-mail: liuyiyao@uestc.edu.cn or liuyiyao@hotmail.com