

Accepted Manuscript


Saccharomyces cerevisiae cells lacking Pex3 contain membrane vesicles that harbor a subset of peroxisomal membrane proteins

Justyna P. Wroblewska, Luis Daniel Cruz-Zaragoza, Yuan Wei, Andreas Schummer, Silvia G. Chuartzman, Rinse de Boer, Silke Oeljeklaus, Maya Schuldiner, Einat Zalcvar, Bettina Warscheid, Ralf Erdmann, Ida J. van der Klei

PII: S0167-4889(17)30146-5
DOI: doi:[10.1016/j.bbamcr.2017.05.021](https://doi.org/10.1016/j.bbamcr.2017.05.021)
Reference: BBAMCR 18107

To appear in: *BBA - Molecular Cell Research*

Received date: 16 January 2017
Revised date: 23 May 2017
Accepted date: 25 May 2017



Please cite this article as: Justyna P. Wroblewska, Luis Daniel Cruz-Zaragoza, Yuan Wei, Andreas Schummer, Silvia G. Chuartzman, Rinse de Boer, Silke Oeljeklaus, Maya Schuldiner, Einat Zalcvar, Bettina Warscheid, Ralf Erdmann, Ida J. van der Klei, *Saccharomyces cerevisiae* cells lacking Pex3 contain membrane vesicles that harbor a subset of peroxisomal membrane proteins, *BBA - Molecular Cell Research* (2017), doi:[10.1016/j.bbamcr.2017.05.021](https://doi.org/10.1016/j.bbamcr.2017.05.021)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

***Saccharomyces cerevisiae* cells lacking Pex3 contain membrane vesicles that harbor a subset of peroxisomal membrane proteins**

Justyna P. Wroblewska^{1,a}, Luis Daniel Cruz-Zaragoza^{1,b}, Yuan Wei^a, Andreas Schummer^c, Silvia G. Chuartzman^d, Rinse de Boer^a, Silke Oeljeklaus^c, Maya Schuldiner^d, Einat Zalcvar^d, Bettina Warscheid^{c,e}, Ralf Erdmann^{2,b} and Ida J. van der Klei^{2,a}

¹These authors contributed equally to this work

²Corresponding authors: E-mail: ralf.erdmann@rub.de; i.j.van.der.klei@rug.nl

^a Molecular Cell Biology, Groningen Biomolecular Sciences and Biotechnology Institute (BBA) University of Groningen, PO Box 11103, 9300 CC Groningen, The Netherlands

^b Systembiochemie, Institut für Biochemie und Pathobiochemie, Medizinische Fakultät, Ruhr-Universität Bochum, 44801 Bochum, Germany

^c Department of Biochemistry and Functional Proteomics, Institute of Biology II, Faculty of Biology, University of Freiburg, 79104 Freiburg, Germany

^d, Department of Molecular Genetics, Weizmann Institute of Science, Rehovot, 7610001, Israel

^e BIOS Centre for Biological Signalling Studies, University of Freiburg, Germany

Download English Version:

<https://daneshyari.com/en/article/5508826>

Download Persian Version:

<https://daneshyari.com/article/5508826>

[Daneshyari.com](https://daneshyari.com)