

Simultaneous quantitation of sphingoid bases by UPLC-ESI-MS/MS with identical 13C-encoded internal standards

M. Mirzaian, P. Wisse, M.J. Ferraz, A.R.A. Marques, P. Gaspar, S.V. Oussoren, K. Kytidou, J.D.C. Codée, G. van der Marel, H.S. Overkleeft, J.M. Aerts

PII: S0009-8981(17)30025-6
DOI: doi: 10.1016/j.cca.2017.01.014
Reference: CCA 14631

To appear in: *Clinica Chimica Acta*

Received date: 8 December 2016
Revised date: 12 January 2017
Accepted date: 12 January 2017

Please cite this article as: M. Mirzaian, P. Wisse, M.J. Ferraz, A.R.A. Marques, P. Gaspar, S.V. Oussoren, K. Kytidou, J.D.C. Codée, G. van der Marel, H.S. Overkleeft, J.M. Aerts , Simultaneous quantitation of sphingoid bases by UPLC-ESI-MS/MS with identical 13C-encoded internal standards. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Cca(2017), doi: 10.1016/j.cca.2017.01.014

Simultaneous quantitation of sphingoid bases by UPLC-ESI-MS/MS with identical ^{13}C-encoded internal standards

M. Mirzaian[a], P. Wisse[b], M.J. Ferraz[a], A.R.A. Marques[c], P. Gaspar[d], S.V. Oussoren[a], K. Kytidou[a], J.D.C. Codée [b], G. van der Marel [b], H.S. Overkleeft[b], J.M. Aerts[a] *

[a]Dep. Medical Biochemistry, Leiden Institute of Chemistry (LIC), Leiden University, The Netherlands
[b]Dep. Bio-organic Synthesis, Leiden Institute of Chemistry, Leiden University, The Netherlands
[c]present address: Dep. Biochemistry, Christian-Albrechts-Universität, Kiel, Germany
[d]present address: Newborn Screening Metabolism & Genetics Unit, Human Genetics Department, National Institute of Health Dr Ricardo Jorge, Porto, Portugal

* Corresponding author at: Department Medical Biochemistry, Leiden University, Einsteinweg 55, 2333 CC Leiden, The Netherlands.
E-mail address: j.m.f.g.aerts@lic.leidenuniv.nl (J.M. Aerts).