

## Accepted Manuscript


A rapid and precise method for measuring plasma apoE-rich HDL using polyethylene glycol and cation-exchange chromatography: A pilot study on the clinical significance of apoE-rich HDL measurements

Toru Ikeda, Ryoko Shinohata, Masaaki Murakami, Kazuyoshi Hina, Shigeshi Kamikawa, Satoshi Hirohata, Shozo Kusachi, Arisa Tamura, Shinichi Usui

PII: S0009-8981(16)30518-6  
DOI: doi: [10.1016/j.cca.2016.12.016](https://doi.org/10.1016/j.cca.2016.12.016)  
Reference: CCA 14602  
To appear in: *Clinica Chimica Acta*  
Received date: 7 October 2016  
Revised date: 5 December 2016  
Accepted date: 15 December 2016

Please cite this article as: Toru Ikeda, Ryoko Shinohata, Masaaki Murakami, Kazuyoshi Hina, Shigeshi Kamikawa, Satoshi Hirohata, Shozo Kusachi, Arisa Tamura, Shinichi Usui , A rapid and precise method for measuring plasma apoE-rich HDL using polyethylene glycol and cation-exchange chromatography: A pilot study on the clinical significance of apoE-rich HDL measurements. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Cca(2016), doi: [10.1016/j.cca.2016.12.016](https://doi.org/10.1016/j.cca.2016.12.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**A rapid and precise method for measuring plasma apoE-rich HDL using polyethylene glycol and cation-exchange chromatography: a pilot study on the clinical significance of apoE-rich HDL measurements**

Toru Ikeda<sup>a</sup>, Ryoko Shinohata<sup>a</sup>, Masaaki Murakami<sup>b</sup>, Kazuyoshi Hina<sup>b</sup>, Shigeshi Kamikawa<sup>b</sup>, Satoshi Hirohata<sup>a</sup>, Shozo Kusachi<sup>b</sup>, Arisa Tamura<sup>a</sup>, Shinichi Usui<sup>a,\*</sup>

<sup>a</sup> *Department of Medical Technology, Okayama University Graduate School of Health Sciences, 2-5-1, Shikata-cho, Kita-ku, Okayama-shi, Okayama 700-8558, Japan*

<sup>b</sup> *Okayama Heart Clinic, 54-1, Takeda, Naka-ku, Okayama-shi, Okayama 703-8251, Japan*

Corresponding author at: Department of Medical Technology, Okayama University Graduate School of Health Sciences, 2-5-1, Shikata-cho, Kita-ku, Okayama-shi, Okayama 700-8558, Japan.

Phone: +81-86-235-6882; Fax: +81-86-222-3717

*E-mail address:* usuis@md.okayama-u.ac.jp (S. Usui)

Download English Version:

<https://daneshyari.com/en/article/5509840>

Download Persian Version:

<https://daneshyari.com/article/5509840>

[Daneshyari.com](https://daneshyari.com)