

Accepted Manuscript

Four paralog gelsolin genes are differentially expressed in the earthworm
Lumbricus terrestris

Prasath Thiruketeeswaran, Paul Thomalla, Evelyn Krüger, Horst Hinssen,
Jochen D'Haese

PII: S1096-4959(17)30051-9
DOI: doi:[10.1016/j.cbpb.2017.04.004](https://doi.org/10.1016/j.cbpb.2017.04.004)
Reference: CBB 10089

To appear in: *Comparative Biochemistry and Physiology, Part B*

Received date: 30 December 2016
Revised date: 4 April 2017
Accepted date: 6 April 2017

Please cite this article as: Thiruketeeswaran, Prasath, Thomalla, Paul, Krüger, Evelyn, Hinssen, Horst, D'Haese, Jochen, Four paralog gelsolin genes are differentially expressed in the earthworm *Lumbricus terrestris*, *Comparative Biochemistry and Physiology, Part B* (2017), doi:[10.1016/j.cbpb.2017.04.004](https://doi.org/10.1016/j.cbpb.2017.04.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Four paralog gelsolin genes are differentially expressed in the earthworm
*Lumbricus terrestris***

**Prasath Thiruketheeswaran^a, Paul Thomalla^a, Evelyn Krüger^a, Horst Hinssen^b and
Jochen D’Haese^{a*}**

*^aInstitute for Cell Biology, Department Biology, Heinrich-Heine-University Düsseldorf,
Universitätsstrasse 1, D-40225 Düsseldorf, Germany*

*^bBiochemical Cell Biology, Faculty of Biology, University of Bielefeld,
Universitätsstrasse 25, D-33615 Bielefeld, Germany*

*corresponding author:

dhaese@uni-duesseldorf.de

Download English Version:

<https://daneshyari.com/en/article/5510461>

Download Persian Version:

<https://daneshyari.com/article/5510461>

[Daneshyari.com](https://daneshyari.com)