Accepted Manuscript

Sex pheromone in the moth *Heliothis virescens* is produced as a mixture of two pools: de novo and via precursor storage in glycerolipids

Stephen P. Foster, Karin G. Anderson, Jérôme Casas

PII: S0965-1748(17)30080-2

DOI: 10.1016/j.ibmb.2017.06.004

Reference: IB 2956


To appear in: Insect Biochemistry and Molecular Biology

Received Date: 13 April 2017 Revised Date: 31 May 2017 Accepted Date: 9 June 2017

Please cite this article as: Foster, S.P., Anderson, K.G., Casas, Jéô., Sex pheromone in the moth *Heliothis virescens* is produced as a mixture of two pools: de novo and via precursor storage in glycerolipids, *Insect Biochemistry and Molecular Biology* (2017), doi: 10.1016/j.ibmb.2017.06.004.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

https://daneshyari.com/en/article/5511128

Download Persian Version:

https://daneshyari.com/article/5511128

<u>Daneshyari.com</u>