Accepted Manuscript

Cry46Ab from *Bacillus thuringiensis* TK-E6 is a new mosquitocidal toxin with aerolysin-type architecture

Tohru Hayakawa, Akira Sakakibara, Sho Ueda, Yoshinao Azuma, Toru Ide, So Takebe

PII: S0965-1748(17)30099-1

DOI: 10.1016/j.ibmb.2017.06.015

Reference: IB 2967


To appear in: Insect Biochemistry and Molecular Biology

Received Date: 6 March 2017 Revised Date: 30 June 2017 Accepted Date: 30 June 2017

Please cite this article as: Hayakawa, T., Sakakibara, A., Ueda, S., Azuma, Y., Ide, T., Takebe, S., Cry46Ab from *Bacillus thuringiensis* TK-E6 is a new mosquitocidal toxin with aerolysin-type architecture, *Insect Biochemistry and Molecular Biology* (2017), doi: 10.1016/j.ibmb.2017.06.015.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Co-administration with other mosquitocidal Cry toxins

+ Cry4Aa Synergism factor value ≤ 5.61

+ Cry11Aa Synergism factor value ≤ 2.50 + Cry11Ba Synergism factor value ≦ 2.58

Permeation of K+ with single-channel conductance of 103.3 \pm 4.1 pS in 150 mM KCl

Synergistic toxicity against Culex pipiens larvae

Download English Version:

https://daneshyari.com/en/article/5511136

Download Persian Version:

https://daneshyari.com/article/5511136

<u>Daneshyari.com</u>